



Kimball Electronics Group

1600 Royal Street

GO-149

Jasper, IN 47549 812-634-9497

Delivery Schedule EDI Transaction DELFOR Specifications UN/EDIFACT Standard D.97A Outbound from Kimball

DELFOR

Delivery schedule message

Message Status=2

WARNING! This version of the DELFOR is not upward compatible with versions prior to D96B. DELFOR is a message which is sent from a party who is planning the use or consumption of products to a party who has to plan for the supply of the products. The message gives the requirements regarding details for short term delivery and/or medium to long scheduling for products. The scheduling can be used to authorize manufacturing and or the provision of materials. This is based on the terms and conditions defined in a purchase order or contract.

Not Defined:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Notes</u>	<u>Usage</u>
0010	UNH	MESSAGE HEADER	M	1	N0/0010	Must use
0020	BGM	BEGINNING OF MESSAGE	M	1	N0/0020	Must use
0030	DTM	DATE/TIME/PERIOD	M	10	N0/0030	Must use
0050		<u>Segment Group 1</u>	<u>C</u>	<u>10</u>	<u>N0/0050</u>	<u>Used</u>
0060	RFF	REFERENCE	M	1	N0/0060	Must use
0080		<u>Segment Group 2</u>	<u>C</u>	<u>99</u>	<u>N0/0080</u>	<u>Used</u>
0090	NAD	NAME AND ADDRESS	M	1	N0/0090	Must use
0190		<u>Segment Group 6</u>	<u>C</u>	<u>9999</u>	<u>N0/0190</u>	<u>Used</u>
0200	GIS	GENERAL INDICATOR	M	1	N0/0200	Must use
0370		<u>Segment Group 12</u>	<u>C</u>	<u>9999</u>	<u>N0/0370</u>	<u>Used</u>
0380	LIN	LINE ITEM	M	1	N0/0380	Must use
0540		<u>Segment Group 15</u>	<u>C</u>	<u>10</u>	<u>N0/0540</u>	<u>Used</u>
0550	QTY	QUANTITY	M	1	N0/0550	Must use
0560	DTM	DATE/TIME/PERIOD	C	2	N0/0560	Used
0570		<u>Segment Group 16</u>	<u>C</u>	<u>10</u>	<u>N0/0570</u>	<u>Used</u>
0580	RFF	REFERENCE	M	1	N0/0580	Must use
0600		<u>Segment Group 17</u>	<u>C</u>	<u>999</u>	<u>N0/0600</u>	<u>Used</u>
0610	SCC	SCHEDULING CONDITIONS	M	1	N0/0610	Must use
0620		<u>Segment Group 18</u>	<u>C</u>	<u>999</u>	<u>N0/0620</u>	<u>Used</u>
0630	QTY	QUANTITY	M	1	N0/0630	Must use
0640	DTM	DATE/TIME/PERIOD	C	2	N0/0640	Used
0650		<u>Segment Group 19</u>	<u>C</u>	<u>10</u>	<u>N0/0650</u>	<u>Used</u>
0660	RFF	REFERENCE	M	1	N0/0660	Must use
1030	UNT	MESSAGE TRAILER	M	1	N0/1030	Must use

UNH

MESSAGE HEADER

Pos: 0010	Max: 1
Mandatory	
Group: N/A	Elements: 4

User Option (Usage): Must use

To head, identify and specify a message.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNH010	0062	Message reference number Description: Unique message reference assigned by the sender.	M	an	1/14	Must use
UNH020	S009	MESSAGE IDENTIFIER Description: Identification of the type, version etc. of the message being interchanged.	M	Comp		Must use
	0065	Message type identifier Description: Code identifying a type of message and assigned by its controlling agency. All valid standard codes are used.	M	an	1/6	Must use
	0052	Message type version number Description: Version number of a message type. All valid standard codes are used.	M	an	1/3	Must use
	0054	Message type release number Description: Release number within the current message type version number (0052). All valid standard codes are used.	M	an	1/3	Must use
	0051	Controlling agency Description: Code identifying the agency controlling the specification, maintenance and publication of the message type. All valid standard codes are used.	M	an	1/2	Must use
	0057	Association assigned code Description: Code, assigned by the association responsible for the design and maintenance of the message type concerned, which further identifies the message.	C	an	1/6	Used
UNH030	0068	Common access reference Description: Reference serving as a key to relate all subsequent transfers of data to the same business case or file.	C	an	1/35	Used
UNH040	S010	STATUS OF THE TRANSFER Description: Statement that the message is one in a sequence of transfers relating to the same topic.	C	Comp		Used
	0070	Sequence message transfer number Description: Number assigned by the sender indicating that the message is an addition or change of a previously sent message relating to the same topic.	M	n	1/2	Must use
	0073	First/last sequence message transfer indication Description: Indication used for the first and last message in a sequence of the same type of message relating to the same topic. All valid standard codes are used.	C	a	1/1	Used

BGM BEGINNING OF MESSAGE

Pos: 0020	Max: 1
Mandatory	
Group: N/A	Elements: 3

User Option (Usage): Must use

To indicate the type and function of a message and to transmit the identifying number.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BGM010	C002	DOCUMENT/MESSAGE NAME Description: Identification of a type of document/message by code or name. Code preferred.	C	Comp		Used
	1001	Document/message name, coded Description: Document/message identifier expressed in code.	C	an	1/3	Used
		Code Name 241 Delivery schedule				
BGM020	C106	DOCUMENT/MESSAGE IDENTIFICATION Description: Identification of a document/message by its number and eventually its version or revision.	C	Comp		Used
	1004	Document/message number Description: Reference number assigned to the document/message by the issuer.	C	an	1/35	Used
BGM030	1225	Message function, coded Description: Code indicating the function of the message.	C	an	1/3	Used
		Code Name 5 Replace				

User Note 1: Data in each transmission replaces all previous requirements (firm or planned) for the listed materials.

DTM DATE/TIME/PERIOD

Pos: 0030	Max: 10
Mandatory	
Group: N/A	Elements: 1

User Option (Usage): Must use

To specify date, and/or time, or period.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	DATE/TIME/PERIOD Description: Date and/or time, or period relevant to the specified date/time/period type.	M	Comp		Must use
	2005	Date/time/period qualifier Description: Code giving specific meaning to a date, time or period.	M	an	1/3	Must use
		Code Name 137 Document/message date/time 158 Horizon start date				
<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
	2380	Date/time/period Description: The value of a date, a date and time, a time or of a period in a specified representation.	C	an	1/35	Used
	2379	Date/time/period format qualifier Description: Specification of the representation of a date, a date and time or of a period.	C	an	1/3	Used
		Code Name 102 CCYYMMDD				

Segment Group 1

Pos: 0050	Repeat: 10
Conditional	
Group: 1	Elements: N/A

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>
0060	RFF	REFERENCE

<u>Status</u>	<u>Repetition</u>	<u>Usage</u>
M	1	Must use

RFF REFERENCE

Pos: 0060	Max: 1
Mandatory	
Group: 1	Elements: 1

User Option (Usage): Must use

To specify a reference.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	REFERENCE Description: Identification of a reference.	M	Comp		Must use
	1153	Reference qualifier Description: Code giving specific meaning to a reference segment or a reference number.	M	an	1/3	Must use
		Code Name ON Order number (purchase)				
<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
	1154	Reference number Description: Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.	C	an	1/35	Used

Segment Group 2

Pos: 0080	Repeat: 99
Conditional	
Group: 2	Elements: N/A

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Usage</u>
0090	NAD	NAME AND ADDRESS	M	1	Must use

NAD NAME AND ADDRESS

Pos: 0090	Max: 1
Mandatory	
Group: 2	Elements: 2

User Option (Usage): Must use

To specify the name/address and their related function, either by CO82 only and/or unstructured by CO58 or structured by CO80 thru 3207.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
NAD010	3035	Party qualifier Description: Code giving specific meaning to a party.	M	an	1/3	Must use
		Code Name				
		ST Ship to				
		SU Supplier				
NAD020	C082	PARTY IDENTIFICATION DETAILS Description: Identification of a transaction party by code.	C	Comp		Used
	3039	Party id. identification Description: Code identifying a party involved in a transaction.	M	an	1/35	Must use
	3055	Code list responsible agency, coded Description: Code identifying the agency responsible for a code list.	C	an	1/3	Used
		Code Name				
		92 Assigned by buyer or buyer's agent				

Segment Group 6

Pos: 0190	Repeat: 9999
Conditional	
Group: 6	Elements: N/A

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Usage</u>
0200	GIS	GENERAL INDICATOR	M	1	Must use
0370		Segment Group 12	C	9999	Used

GIS

GENERAL INDICATOR

Pos: 0200	Max: 1
Mandatory	
Group: 6	Elements: 1

User Option (Usage): Must use

To transmit a processing indicator.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
GIS010	C529	PROCESSING INDICATOR Description: Type of process indication.	M	Comp		Must use
	7365	Processing indicator, coded Description: Identifies the value to be attributed to indicators required by the processing system.	M	an	1/3	Must use
		<u>Code</u> 37		<u>Name</u> Complete information		

Segment Group 12

Pos: 0370	Repeat: 9999
Conditional	
Group: 12	Elements: N/A

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Usage</u>
0380	LIN	LINE ITEM	M	1	Must use
0540		Segment Group 15	C	10	Used
0600		Segment Group 17	C	999	Used

LIN

LINE ITEM

Pos: 0380	Max: 1
Mandatory	
Group: 12	Elements: 2

User Option (Usage): Must use

To identify a line item and configuration.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LIN010	1082	Line item number Description: Serial number designating each separate item within a series of articles.	C	an	1/6	Used
LIN030	C212	ITEM NUMBER IDENTIFICATION Description: Goods identification for a specified source.	C	Comp		Used
	7140	Item number Description: A number allocated to a group or item.	C	an	1/35	Used
	7143	Item number type, coded Description: Identification of the type of item number.	C	an	1/3	Used
		<u>Code</u> <u>Name</u>				
		BP Buyer's part number				

Segment Group 15

Pos: 0540	Repeat: 10
Conditional	
Group: 15	Elements: N/A

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Usage</u>
0550	QTY	QUANTITY	M	1	Must use
0560	DTM	DATE/TIME/PERIOD	C	2	Used
0570		Segment Group 16	C	10	Used

QTY

QUANTITY

Pos: 0550	Max: 1
Mandatory	
Group: 15	Elements: 1

User Option (Usage): Must use

To specify a pertinent quantity.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
QTY010	C186	QUANTITY DETAILS Description: Quantity information in a transaction, qualified when relevant.	M	Comp		Must use
	6063	Quantity qualifier Description: Code giving specific meaning to a quantity.	M	an	1/3	Must use
		Code Name				
		3 Cumulative quantity				
		48 Received quantity				
<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
	6060	Quantity Description: Numeric value of a quantity.	M	n	1/15	Must use
	6411	Measure unit qualifier Description: Indication of the unit of measurement in which weight (mass), capacity, length, area, volume or other quantity is expressed.	C	an	1/3	Used

DTM DATE/TIME/PERIOD

Pos: 0560	Max: 2
Conditional	
Group: 15	Elements: 1

User Option (Usage): Used

To specify date, and/or time, or period.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	DATE/TIME/PERIOD Description: Date and/or time, or period relevant to the specified date/time/period type.	M	Comp		Must use
	2005	Date/time/period qualifier Description: Code giving specific meaning to a date, time or period.	M	an	1/3	Must use
		Code Name 50 Goods receipt date/time				
<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
	2380	Date/time/period Description: The value of a date, a date and time, a time or of a period in a specified representation.	C	an	1/35	Used
	2379	Date/time/period format qualifier Description: Specification of the representation of a date, a date and time or of a period.	C	an	1/3	Used
		Code Name 102 CCYYMMDD				

Segment Group 16

Pos: 0570	Repeat: 10
Conditional	
Group: 16	Elements: N/A

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>
0580	RFF	REFERENCE

<u>Status</u>	<u>Repetition</u>	<u>Usage</u>
M	1	Must use

RFF REFERENCE

Pos: 0580	Max: 1
Mandatory	
Group: 16	Elements: 1

User Option (Usage): Must use

To specify a reference.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	REFERENCE Description: Identification of a reference.	M	Comp		Must use
	1153	Reference qualifier Description: Code giving specific meaning to a reference segment or a reference number.	M	an	1/3	Must use
		Code Name SI SID (Shipper's identifying number for shipment)				
<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
	1154	Reference number Description: Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.	C	an	1/35	Used

Segment Group 17

Pos: 0600	Repeat: 999
Conditional	
Group: 17	Elements: N/A

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Usage</u>
0610	SCC	SCHEDULING CONDITIONS	M	1	Must use
0620		Segment Group 18	C	999	Used

SCC

SCHEDULING CONDITIONS

Pos: 0610	Max: 1
Mandatory	
Group: 17	Elements: 2

User Option (Usage): Must use

To specify scheduling conditions.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SCC010	4017	Delivery plan status indicator, coded Description: Code indicating the level of commitment of schedule information.	M	an	1/3	Must use
		Code Name				
		1 Firm - Once a requirement becomes firm, it will be transmitted again each subsequent week until it has been completed. Any changes within the firm period that may be negotiated may also be reflected in this data				
		2 Commitment for manufacturing and material				
		3 Commitment for material				
		4 Planning/forecast				
<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SCC030	C329	PATTERN DESCRIPTION Description: Shipment, delivery or production interval pattern and timing.	C	Comp		Used
	2013	Frequency, coded Description: Code specifying interval grouping of the delivery, production, etc. of the schedule. All valid standard codes are used.	C	an	1/3	Used

Segment Group 18

Pos: 0620	Repeat: 999
Conditional	
Group: 18	Elements: N/A

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Repetition</u>	<u>Usage</u>
0630	QTY	QUANTITY	M	1	Must use
0640	DTM	DATE/TIME/PERIOD	C	2	Used
0650		Segment Group 19	C	10	Used

QTY

QUANTITY

Pos: 0630	Max: 1
Mandatory	
Group: 18	Elements: 1

User Option (Usage): Must use

To specify a pertinent quantity.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
QTY010	C186	QUANTITY DETAILS Description: Quantity information in a transaction, qualified when relevant.	M	Comp		Must use
	6063	Quantity qualifier Description: Code giving specific meaning to a quantity.	M	an	1/3	Must use
		Code Name				
		1 Discrete quantity				
		183 No delivery requirement in this instruction				
<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
	6060	Quantity Description: Numeric value of a quantity.	M	n	1/15	Must use
	6411	Measure unit qualifier Description: Indication of the unit of measurement in which weight (mass), capacity, length, area, volume or other quantity is expressed.	C	an	1/3	Used

DTM DATE/TIME/PERIOD

Pos: 0640	Max: 2
Conditional	
Group: 18	Elements: 1

User Option (Usage): Used

To specify date, and/or time, or period.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	DATE/TIME/PERIOD Description: Date and/or time, or period relevant to the specified date/time/period type.	M	Comp		Must use
	2005	Date/time/period qualifier Description: Code giving specific meaning to a date, time or period.	M	an	1/3	Must use
		Code Name 2 Delivery date/time, requested 160 Authorization date				
<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
	2380	Date/time/period Description: The value of a date, a date and time, a time or of a period in a specified representation.	C	an	1/35	Used
	2379	Date/time/period format qualifier Description: Specification of the representation of a date, a date and time or of a period.	C	an	1/3	Used
		Code Name 102 CCYYMMDD				

Segment Group 19

Pos: 0650	Repeat: 10
Conditional	
Group: 19	Elements: N/A

Segment Group Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>
0660	RFF	REFERENCE

<u>Status</u>	<u>Repetition</u>	<u>Usage</u>
M	1	Must use

RFF REFERENCE

Pos: 0660	Max: 1
Mandatory	
Group: 19	Elements: 1

User Option (Usage): Must use

To specify a reference.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	REFERENCE Description: Identification of a reference.	M	Comp		Must use
	1153	Reference qualifier Description: Code giving specific meaning to a reference segment or a reference number.	M	an	1/3	Must use
		Code Name ACJ Customer material specification number				
<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
	1154	Reference number Description: Identification number the nature and function of which can be qualified by an entry in data element 1153 Reference qualifier.	C	an	1/35	Used

User Note 1: *The RFF segment may be used to transmit pertinent Engineering Change Level data which may change during the course of a forecast.*

UNT MESSAGE TRAILER

Pos: 1030	Max: 1
Mandatory	
Group: N/A	Elements: 2

User Option (Usage): Must use

To end and check the completeness of a message.

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNT010	0074	Number of segments in a message Description: Control count of number of segments in a message.	M	n	1/6	Must use
UNT020	0062	Message reference number Description: Unique message reference assigned by the sender.	M	an	1/14	Must use

Outbound DELFOR Sample Data

UNB+UNOA:2+8126344400HARBT:12+4185TE:12+050315:0949+8++DELFOR++++1'
UNH+1+DELFOR:D:97A:UN'
BGM+241+20050315094942+5'
DTM+158:20050315:102'
DTM+137:20050315:102'
RFF+ON:5500000005'
NAD+SU+40000000::92'
NAD+ST+KIKEG01::92'
GIS+37'
LIN+00010++500-0123-00K:BP'
QTY+48:10000:EA'
DTM+50:20041202:102'
RFF+SI:02956879004'
QTY+3:3216000:EA'
SCC+2'
QTY+183:0:EA'
DTM+160:20041227:102'
SCC+1++D'
QTY+1:4000:EA'
DTM+2:20041222:102'
SCC+4++D'
QTY+1:6000:EA'
DTM+2:20050105:102'
SCC+4++D'
QTY+1:6000:EA'
DTM+2:20050119:102'
SCC+4++D'
QTY+1:6000:EA'
DTM+2:20050202:102'
SCC+4++D'
QTY+1:6000:EA'
DTM+2:20050209:102'
SCC+4++D'
QTY+1:6000:EA'
DTM+2:20050216:102'
SCC+4++D'
QTY+1:6000:EA'
DTM+2:20050302:102'
SCC+4++D'
QTY+1:6000:EA'
DTM+2:20050309:102'
SCC+4++D'
QTY+1:6000:EA'
DTM+2:20050316:102'
SCC+4++W'
QTY+1:3000:EA'
DTM+2:20050328:102'
SCC+4++W'
QTY+1:0:EA'
DTM+2:20050404:102'
SCC+4++W'
QTY+1:0:EA'
DTM+2:20050411:102'
SCC+4++W'
QTY+1:6000:EA'
DTM+2:20050418:102'
SCC+4++W'
QTY+1:6000:EA'
DTM+2:20050425:102'
SCC+4++W'
QTY+1:6000:EA'
DTM+2:20050502:102'
SCC+4++W'

Outbound DELFOR Sample Data

QTY+1:9000:EA'
DTM+2:20050509:102'
SCC+4++W'
QTY+1:5000:EA'
DTM+2:20050516:102'
SCC+4++W'
QTY+1:10000:EA'
DTM+2:20050523:102'
SCC+4++W'
QTY+1:6000:EA'
DTM+2:20050606:102'
SCC+4++W'
QTY+1:2000:EA'
DTM+2:20050613:102'
LIN+00020++500-0078-00K:BP'
QTY+48:2000:EA'
DTM+50:20041209:102'
RFF+SI:03248914000'
QTY+3:85000:EA'
SCC+2'
QTY+183:0:EA'
DTM+160:20041227:102'
SCC+4++D'
QTY+1:2000:EA'
DTM+2:20050223:102'
RFF+ACJ:A'
SCC+4++D'
QTY+1:2000:EA'
DTM+2:20050316:102'
RFF+ACJ:A'
SCC+4++W'
QTY+1:500:EA'
DTM+2:20050328:102'
RFF+ACJ:A'
SCC+4++W'
QTY+1:500:EA'
DTM+2:20050404:102'
RFF+ACJ:B'
SCC+4++W'
QTY+1:500:EA'
DTM+2:20050411:102'
RFF+ACJ:B'
SCC+4++W'
QTY+1:500:EA'
DTM+2:20050418:102'
RFF+ACJ:B'
SCC+4++W'
QTY+1:500:EA'
DTM+2:20050425:102'
RFF+ACJ:B'
SCC+4++W'
QTY+1:500:EA'
DTM+2:20050502:102'
RFF+ACJ:C'
SCC+4++W'
QTY+1:500:EA'
DTM+2:20050509:102'
RFF+ACJ:C'
UNT+121+1'
UNZ+1+8'